


AVENTOS: VISIÓN GENERAL



AVENTOS HK-TOP										
	400	450	500	550	600	700	800	900	1000	1200
250				23	23	23	23	23	23	23
300	23	23	23	23	23	23	23	23/25	23/25	23/25
350	23	23	23	23	23	23/25	23/25	23/25	25	25/27
400	23	23	23/25	23/25	23/25	23/25	25	25/27	25/27	25/27
450	23/25	23/25	23/25	23/25	25	25/27	25/27	25/27	25/27	27
500	23/25	23/25	25	25/27	25/27	25/27	25/27	27	27/29	27/29
550	25	25/27	25/27	25/27	25/27	27	27	27/29	27/29	27/29
600	25/27	25/27	25/27	27	27	27	27/29	27/29	27/29	29

AVENTOS HK							
	600	700	800	900	1000	1100	1200
300	20K2300	20K2300	20K2300	20K2300	20K2500	20K2500	20K2500
350	20K2300	20K2300	20K2500	20K2500	20K2500	20K2500	20K2500
400	20K2500	20K2500	20K2500	20K2500	20K2700	20K2700	20K2700
450	20K2500	20K2500	20K2500	20K2700	20K2700	20K2700	20K2700
500	20K2700	20K2700	20K2700	20K2700	20K2700	20K2700	20K2700
550	20K2700	20K2700	20K2700	20K2700	20K2700	20K2900	20K2900
600	20K2700	20K2700	20K2700	20K2700	20K2900	20K2900	20K2900

AVENTOS HK-S							
	400	450	500	600	700	800	900
200	A+C	A+C	A+C	A+C	A+C	C+C	C+C
250	A+C	A+C	A+C	C+C	C+C	C+C	C+C
300	C+C	C+C	C+C	C+C	C+E	C+E	C+E
350	C+C	C+C	C+E	C+E	C+E	C+E	E+E
400	C+E	C+E	C+E	E+E	E+E	E+E	E+E

AVENTOS HK-XS								
	500	600	700	800	900	1000	1100	1200
250	20k1101	20k1101	20k1101	20k1101	20k1101	20k1301	20k1301	20k1301
300	20k1101	20k1101	20k1101	20k1101	20k1301	20k1301	20k1500	20k1501
350	20k1101	20k1101	20k1301	20k1301	20k1500	20k1501	20k1501	20k1301(2)
400	20k1301	20k1301	20k1501	20k1501	20k1301(2)	20k1301(2)	20k1301(2)	20k1501(2)
450	20k1301	20k1501	20k1301(2)	20k1301(2)	20k1301(2)	20k1501(2)	20k1501(2)	20k1501(2)
500	20k1301	20k1301(2)	20k1301(2)	20k1501(2)	20k1501(2)	20k1501(2)		
550	20k1101(2)	20k1301(2)	20k1501(2)	20k1501(2)	20k1501(2)			
600	20k1301(2)	20k1301(2)	20k1501(2)					

AVENTOS HL							
	500	600	700	800	900	1000	1200
300	20L2100	20L2100	20L2100	20L2100	20L2100	20L2300	20L2300
350	20L2100	20L2300	20L2300	20L2300	20L2300	20L2300	20L2500
400	20L2300	20L2500	20L2500	20L2500	20L2500	20L2500	20L2500
450	20L2300	20L2500	20L2500	20L2500	20L2500	20L2500	20L2700
500	20L2500	20L2500	20L2500	20L2500	20L2700	20L2700	20L2700
550	20L2500	20L2500	20L2700	20L2700	20L2700	20L2700	20L2700
580	20L2500	20L2500	20L2700	20L2700	20L2700	20L2700	20L2900


AVENTOS HS								
	500	600	700	800	900	1000	1100	1200
350	20S1A00	20S1A00	20S1A00	20S1A00	20S1A00	20S1A00	20S1B00	20S1B00
400	20S1A00	20S1A00	20S1A00	20S1A00	20S1B00	20S1B00	20S1B00	20S1B00
450	20S1A00	20S1A00	20S1A00	20S1B00	20S1B00	20S1B00	20S1B00	20S1B00
500	20S1A00	20S1A00	20S1B00	20S1B00	20S1B00	20S1B00	20S1B00	20S1C00
550	20S1D00	20S1D00	20S1D00	20S1D00	20S1E00	20S1E00	20S1E00	20S1E00
600	20S1D00	20S1D00	20S1D00	20S1E00	20S1E00	20S1E00	20S1E00	20S1E00
650	20S1D00	20S1D00	20S1E00	20S1E00	20S1E00	20S1E00	20S1E00	20S1E00
700	20S1G00	20S1G00	20S1G00	20S1H00	20S1H00	20S1H00	20S1H00	20S1H00
750	20S1G00	20S1G00	20S1H00	20S1H00	20S1H00	20S1H00	20S1H00	20S1I00
800	20S1G00	20S1G00	20S1H00	20S1H00	20S1H00	20S1H00	20S1I00	20S1I00

AVENTOS HF						
	600	700	800	900	1100	1200
600	20F2200	20F2200	20F2200	20F2200	20F2200	20F2500
650	20F2200	20F2200	20F2200	20F2200	20F2500	20F2500
700	20F2200	20F2200	20F2500	20F2500	20F2500	20F2500
750	20F2200	20F2200	20F2500	20F2500	20F2500	20F2500
800	20F2200	20F2500	20F2500	20F2500	20F2500	20F2800
850	20F2500	20F2500	20F2500	20F2500	20F2500	20F2800
900	20F2500	20F2500	20F2500	20F2800	20F2800	20F2800
950	20F2500	20F2500	20F2500	20F2800	20F2800	20F2800
1.000	20F2500	20F2500	20F2800	20F2800	20F2800	(3) 20F2800
1.040	20F2500	20F2500	20F2800	20F2800	20F2800	(3) 20F2800

HK-TOP



BLUMOTION
by Blum
TIP-ON
by Blum



Gris	✓
Blanco	✓
Gris Orion	✓

HK-TOP 250 x 400 HASTA 600 x 1200 mm BLUMOTION / TIP-ON

Fig	Uds	Descripción	Caract.	BLUMOTION	TIP-ON
1	2	Mecanismo	23	F288422K2301	F288422K2301T
			25	F288422K2501	F288422K2501T
			27	F288422K2701	F288422K2701T
			29	F288422K2901	F288422K2901T
4a	1 + 1	Tapas	Gris der	F288422K8001LG	
			Gris izq	F288422K8001RG	
			Blanco der	F288422K8001LB	
			Blanco izq	F288422K8001RB	
			Gris Orion D	F288422K8001LO	
			Gris Orion I	F288422K8001RO	
2c (opcional)	2	Tapa pequeña	Gris Orion	F288422KTP	
3	1	J.fijación frontal	Madera	F288420S4200	
	1	Tip-on	Gris		F35849561002G
			Blanco		F35849561002
	1	Placa adhesiva			F35849551008
		Placa encastada			F35849551008D
		Plantilla		F288422KPLA	

SERVO-DRIVE ELEMENTOS BLUMOTION MENOS LAS TAPAS

7	1	Transformador	F3084Z10NE030D
8	1	Soporte transformador	F3084Z10NG120
9	1	Cable alimentación	F3084Z10M200E
2a	1	Jgo. tapas gris (tapas+interruptores+distanc)	F288423K8000GR
		Jgo. tapas blanco (tapas+interruptores+distanc)	F288423K8000BL
		Jgo. tapas gris orion(tapas+interruptores+distanc)	F288423K8000GO
2a	1	Servo-drive(actuador+cable+empalm+2xprot)	F288423KA000

AVENTOS HK-TOP

	400	450	500	550	600	700	800	900	1000	1200
250				23	23	23	23	23	23	23
300	23	23	23	23	23	23	23	23/25	23/25	23/25
350	23	23	23	23	23	23/25	23/25	23/25	25	25/27
400	23	23	23/25	23/25	23/25	23/25	25	25/27	25/27	25/27
450	23/25	23/25	23/25	23/25	25	25/27	25/27	25/27	25/27	27
500	23/25	23/25	25	25/27	25/27	25/27	25/27	27	27/29	27/29
550	25	25/27	25/27	25/27	25/27	27	27	27/29	27/29	27/29
600	25/27	25/27	25/27	27	27	27	27/29	27/29	27/29	29

HK

blum®




blum®

BLUMOTION

by Blum

TIP-ON

by Blum



Gris ✓
Blanco ✓

HK

300 x 600 hasta 600 x 1200 mm

BLUMOTION / TIP-ON / SERVO-DRIVE

Fig	Uds	Descripción	Caract.	BLUMOTION	TIP-ON
1	2	Mecanismo	23		
			25	F288420K2501	
			27		
			29		F288420K2900T
3A-B-D-E	1+1	Tapas	Gris der.	F288420K8001R	
			Gris izq.	F288420K8001L	
			Blanco Der.	F288420K8101R	
			Blanco Izq.	F288420K8101L	
3C	2	Tapa pq	Gris	F288420K9001	
4	1	J.Fij. frontal	Madera	F288420S4200	
			Aluminio	F288420S4200A	
			HPL	F288420S42T1	
5	1	Tip-on	Gris		F35849561002G
			Blanco		F35849561002
	1	Placa adhesiva			F35849551008
	1	Placa encastada			F35849551008D
	2	Limit. apertura	75°	F288420K7011	

SERVO-DRIVE


ELEMENTOS BLUMOTION MENOS LAS TAPAS

7	1	Transformador	F3084Z10NE030D
8	1	Soporte transformador	F3084Z10NG120
9	1	Cable alimentación	F3084Z10M200E
3A-3B-3C-3D-3E	1	Jgo. tapas gris (tapas+interruptores+distanc)	F288421K8000
		Jgo. tapas blanco (tapas+interruptores+distanc)	
6A-6B-6C-6D	1	Servo-drive(actuador+cable+empalm+2xprot)	F288421KA000

AVENTOS HK

	600	700	800	900	1000	1100	1200
300	20K2300	20K2300	20K2300	20K2300	20K2500	20K2500	20K2500
350	20K2300	20K2300	20K2500	20K2500	20K2500	20K2500	20K2500
400	20K2500	20K2500	20K2500	20K2500	20K2700	20K2700	20K2700
450	20K2500	20K2500	20K2500	20K2700	20K2700	20K2700	20K2700
500	20K2500	20K2700	20K2700	20K2700	20K2700	20K2700	20K2700
550	20K2700	20K2700	20K2700	20K2700	20K2700	20K2900	20K2900
600	20K2700	20K2700	20K2700	20K2700	20K2900	20K2900	20K2900

HK-S




Gris ✓
Blanco ✓

HK-S
200 x 400 HASTA 400 x 900 mm
BLUMOTION / TIP-ON

Fig	Uds	Descripción	Caract.	BLUMOTION	TIP-ON
1a	2	Mecanismo	A	F288420K2A01	
			C	F288420K2C01	F288420K2C01T
			E	F288420K2E01	F288420K2E01T
1b	1+1	Tapas	Gris derecha	F288420K8A01R	
			Gris izquierda	F288420K8A01L	
			Blanco derecha	F288420K8B01R	
			Blanco izquierda	F288420K8B01L	
4	2	Fijación frontal	Madera	F2884175H3100	
			Aluminio estrecho	F2884175H3G00	
6a	1	Tip-on	Gris		F35849561002G
			Blanco		F35849561002
6b	1	Placa adhesiva			F35849551008
		Placa encastada			F35849551008D
7	1	Adapt. Sobr	Gris		F35849561201
			Blanco		F35849561201B
	2	Lim. apertura	75º	F288420K7A11	

AVENTOS HK-S							
	400	450	500	600	700	800	900
200	A+C	A+C	A+C	A+C	A+C	C+C	C+C
250	A+C	A+C	A+C	C+C	C+C	C+C	C+C
300	C+C	C+C	C+C	C+C	C+E	C+E	C+E
350	C+C	C+C	C+E	C+E	C+E	C+E	E+E
400	C+E	C+E	C+E	E+E	E+E	E+E	E+E

HK-XS



Níquel

HK-XS

250 x 500 HASTA 450 x 1200 (o 600 x 700)mm

BLUMOTION / TIP-ON


Fig	Uds	Descripción	Caract.	BLUMOTION	TIP-ON
1	1 - 2	Mecanismo	11	F288420K1101	F288420K1101T
			13	F288420K1301	F288420K1301T
			15	F288420K1501	F288420K1501T
2	1 - 2	Fijación lateral		F288420K5101	
4	1 - 2	Fijación frontal	Madera	F288420K4101	
			Aluminio	F288420K4101A	
6a	1	Tip-on	Gris		F35849561002G
			Blanco		F35849561002
6B-C	1	Placa adhesiva			F35849551008
		Placa encastada			F35849551008D
7	1	Adapt. Sobr	Gris		F35849561201
			Blanco		F35849561201B
10	2 - 3	Bisagras	Freno	F358471B3550	
					F358470T5550
11	2 - 3	Base		F3584173H7100	

AVENTOS HK-XS								
	500	600	700	800	900	1000	1100	1200
250	20k1101	20k1101	20k1101	20k1101	20k1101	20k1301	20k1301	20k1301
300	20k1101	20k1101	20k1101	20k1101	20k1301	20k1301	20k1500	20k1501
350	20k1101	20k1101	20k1301	20k1301	20k1500	20k1501	20k1501	20k1301(2)
400	20k1301	20k1301	20k1501	20k1501	20k1301(2)	20k1301(2)	20k1301(2)	20k1501(2)
450	20k1301	20k1501	20k1301(2)	20k1301(2)	20k1301(2)	20k1501(2)	20k1501(2)	20k1501(2)
500	20k1301	20k1301(2)	20k1301(2)	20k1501(2)	20k1501(2)	20k1501(2)		
550	20k1101(2)	20k1301(2)	20k1501(2)	20k1501(2)	20k1501(2)			
600	20k1301(2)	20k1301(2)	20k1501(2)					

AVENTOS HK-XS TIP-ON								
	500	600	700	800	900	1000	1100	1200
250	20k1101	20k1101	20k1101	20k1101	20k1301	20k1301	20k1301	20k1301
300	20k1101	20k1301	20k1301	20k1301	20k1301	20k1500	20k1500	20k1501
350	20k1301	20k1301	20k1501	20k1501	20k1500	20k1301(2)	20k1301(2)	20k1301(2)
400	20k1301	20k1501	20k1501	20k1301(2)	20k1301(2)	20k1301(2)	20k1501(2)	20k1501(2)
450	20k1501	20k1301(2)	20k1301(2)	20k1501(2)	20k1501(2)	20k1501(2)	20k1501(2)	
500	20k1301(2)	20k1301(2)	20k1501(2)	20k1501(2)	20k1501(2)			
550	20k1301(2)	20k1501(2)	20k1501(2)					
600	20k1501(2)	20k1501(2)						

HL

blum®



Gris ✓
Blanco ✓

HL
300 x 500 HASTA 580 x 1200 mm
BLUMOTION / SERVO-DRIVE

Fig	Uds	Descripción	Caract.	BLUMOTION
1	1	Jgo. Mecanismo	21	
			23	F288420L23005
			25	F288420L25005
			27	F288420L27005
			29	F288420L29005
2A	1	Jgo. Brazos	300-350	F288420L32005
			350-400	F288420L35005
			400-550	F288420L38005
			480-580	F288420L39005
3A-B-C-D-E	1	Jgo. Tapas	Gris	F288420L80011
			Blanco	F288420L80012
4	1	Fijación frontal	Madera	F288420S4200
			Aluminio	F288420S4200A
			HPL	F288420S42T1
5	1	Barra estabil		F288420Q1061



SERVO-DRIVE
ELEMENTOS BLUMOTION MENOS LAS TAPAS Y LOS BRAZOS

7	1	Transformador	F3084Z10NE030D
8	1	Soporte transformador	F3084Z10NG120
9	1	Cable alimentación	F3084Z10M200E
3A-3B-3C-3D-3E	1	Jgo. tapas gris (tapas+interruptores+distan)	F288421L8000
2A	1	Jgo. Brazos 400-500	F288421L3800
6A-6B-6C-6D	1	Servo-drive(actuador+cable+empalm+2xprot)	F288421FA000

AVENTOS HL								
	500	600	700	800	900	1000	1100	1200
300	20L2100	20L2100	20L2100	20L2100	20L2100	20L2300	20L2300	20L2300
350	20L2100	20L2300	20L2300	20L2300	20L2300	20L2300	20L2300	20L2500
400	20L2300	20L2500	20L2500	20L2500	20L2500	20L2500	20L2500	20L2500
450	20L2300	20L2500	20L2500	20L2500	20L2500	20L2500	20L2700	20L2700
500	20L2500	20L2500	20L2500	20L2500	20L2700	20L2700	20L2700	20L2700
550	20L2500	20L2500	20L2700	20L2700	20L2700	20L2700	20L2700	20L2700
580	20L2500	20L2500	20L2700	20L2700	20L2700	20L2700	20L2700	20L2900

HS

blum®



Gris ✓
Blanco ✓

HS

350 x 500HASTA 800 x 1200 mm

BLUMOTION / SERVO-DRIVE

Fig	Uds	Descripción	Caract.	BLUMOTION
1	1	Jgo. Mecanismo	A	F288420S2A005
			B	F288420S2B005
			D	F288420S2D005
			E	F288420S2E005
2A-B	1	Jgo. Brazos		F288420S35006
2C	1	Barra estabiliz		F288420Q1061U
3A-B-C-D-E	1	Jgo. Tapas	Gris	F288420S8000
			Blanco	F288420S8000B
2B	1	Jgo. Fijacion frontal	Madera	F288420S4200
			Aluminio	F288420S4200A
			HPL	F288420S42T1

SERVO-DRIVE

ELEMENTOS BLUMOTION MENOS LAS TAPAS Y LOS BRAZOS


7	1	Transformador	F3084Z10NE030D
8	1	Soporte transformador	F3084Z10NG120
9	1	Cable alimentación	F3084Z10M200E
3A-3B-3C-3D-3E	1	Jgo. tapas gris (tapas+interruptores+distanc)	F288421S8000
2A	1	Jgo. Brazos	F288421S3500
6A-6B-6C-6D	1	Servo-drive(actuador+cable+empalm+2xprot)	F288421FA000

AVENTOS HS								
	500	600	700	800	900	1000	1100	1200
350	20S1A00	20S1A00	20S1A00	20S1A00	20S1A00	20S1A00	20S1B00	20S1B00
400	20S1A00	20S1A00	20S1A00	20S1A00	20S1B00	20S1B00	20S1B00	20S1B00
450	20S1A00	20S1A00	20S1A00	20S1B00	20S1B00	20S1B00	20S1B00	20S1B00
500	20S1A00	20S1A00	20S1B00	20S1B00	20S1B00	20S1B00	20S1B00	20S1C00
550	20S1D00	20S1D00	20S1D00	20S1D00	20S1E00	20S1E00	20S1E00	20S1E00
600	20S1D00	20S1D00	20S1D00	20S1E00	20S1E00	20S1E00	20S1E00	20S1E00
650	20S1D00	20S1D00	20S1E00	20S1E00	20S1E00	20S1E00	20S1E00	20S1E00
700	20S1G00	20S1G00	20S1G00	20S1H00	20S1H00	20S1H00	20S1H00	20S1H00
750	20S1G00	20S1G00	20S1H00	20S1H00	20S1H00	20S1H00	20S1H00	20S1I00
800	20S1G00	20S1G00	20S1H00	20S1H00	20S1H00	20S1H00	20S1I00	20S1I00

HF



Gris	✓
Blanco	✓
Antracita	✓



HF

600 x 600 HASTA 1040x 1200 mm

BLUMOTION / SERVO-DRIVE




Fig	Uds	Descripción	Caract.	BLUMOTION
1	2	Mecanismo	22	F288420F2201
			25	F288420F2501
			28	F288420F28015
2A	2	Brazos	480-570	F288420F3201
			560-710	F288420F3501
			700-900	F288420F3801
			760-1040	F288420F3901
3A-B-D-E	1+1	Tapas	Gris der	F288420F8001R
			Gris izq	F288420F8001L
			Blanco der	F288420F8002R
			Blanco izq	F288420F8002L
			Antracita der	F288420F8001AL
			Antracita der	F288420F8001AR
3C	2	Tapa pequeña	Pequeña	F288420F9001
4	2	Fijación frontal	Madera	F2884175H3100
			Aluminio	F2884175H5B0R
			HPL	F2884175H5B0L
10	2 / 3	Bisagra superior	Madera	F358470T5550
			Aluminio	F288472T550A
11	4 / 6	Bases		F3584173H7100
12	2 / 3	Bisagra intermedia	Madera	F288478Z5500T
			Aluminio	F288478Z550AT
13	2 / 3	Base intermedia	Aluminio	F2884175H5A00
		Limit.apertura	83º	F288420F7011
			104º	F288420F7051

SERVO-DRIVE

ELEMENTOS BLUMOTION MENOS LAS TAPAS

7	1	Transformador	F3084Z10NE030D
8	1	Soporte transformador	F3084Z10NG120
9	1	Cable alimentación	F3084Z10M200E
3A-3B-3C-3D-3E	1	Jgo. tapas gris (tapas+interruptores+distanc)	F288421F8000
	1	Jgo. tapas blanca (tapas+interruptores+distanc)	F288421F8000B
6A-6B-6C-6D	1	Servo-drive(actuador+cable+empalm+2xprot)	F288421FA000

AVENTOS HF							
	600	700	800	900	1000	1100	1200
600	20F2200	20F2200	20F2200	20F2200	20F2200	20F2200	20F2500
650	20F2200	20F2200	20F2200	20F2200	20F2500	20F2500	20F2500
700	20F2200	20F2200	20F2500	20F2500	20F2500	20F2500	20F2500
750	20F2200	20F2200	20F2500	20F2500	20F2500	20F2500	20F2500
800	20F2200	20F2500	20F2500	20F2500	20F2500	20F2500	20F2800
850	20F2500	20F2500	20F2500	20F2500	20F2500	20F2800	20F2800
900	20F2500	20F2500	20F2500	20F2800	20F2800	20F2800	20F2800
950	20F2500	20F2500	20F2500	20F2800	20F2800	20F2800	20F2800
1.000	20F2500	20F2500	20F2800	20F2800	20F2800	20F2800	(3) 20F2800
1.040	20F2500	20F2500	20F2800	20F2800	20F2800	(3) 20F2800	(3) 20F2800