

S320




Cromado ✓

S320
PORTERÍA



Ax25xCxD mm	Cromado
Derecha	F1034320D25
Izquierda	F1034320E25

1511 AV



Dorado ✓

1511AV
PERSIANA
ø25 mm

	DORADO
Cilindro	F10801511AV

125



Níquel ✓

125
CORREDERA




234x25xCx30 mm	Níquel
Níquel	F1065125C

LEVA CORTA



Latón
Níquel



E-50

(A)	(B)+(C)	Níquel satinado	
		Normal	Amaestrado
60 mm	30+30 mm	F1001E503030	
80 mm	40+40 mm		F1001E5NM404C




TE-5

(A)	(B)+(C)	Latón	Níquel satinado	
		Normal	Normal	Amaestrado
60 mm	30+30 mm	F1025520060L	F1025520060N	
70 mm	30+40 mm		F1025520070N	
80 mm	40+40 mm			F1001E5NM404C

CISA ELEC.



Nuevo sistema de cierre con "cerrojo de gancho basculante", resistencia a la tracción hasta 2000 kgs, mayor resistencia a las vibraciones y a los robos, escudo de protección en acero que recubre totalmente cerradura y cerradero.



Negro

1A611
PULS. INTERIOR
12V c.a.

	Ac. Inoxidable
1A611	F11730000611